

PHP Version 5.2.5



| | |
|--|--|
| System | Linux linux-01 2.6.22-13-0.3-default #2 SMP Tue Dec 4 22:01:26 GMT 2007 i686 |
| Build Date | Dec 12 2007 03:35:09 |
| Configure Command | './configure' '--prefix=/usr' '--datadir=/usr/share/php5' '--mandir=/usr/share/man' '--bindir=/usr/bin' '--with-libdir=lib' '--includedir=/usr/include' '--sysconfdir=/etc/php5/apache2' '--with-config-file-path=/etc/php5/apache2' '--enable-inline-optimization' '--disable-rpath' '--disable-static' '--enable-shared' '--program-suffix=5' '--with-pic' '--with-apxs2=/usr/sbin/apxs2' '--disable-all' '--disable-cil' |
| Server API | Apache 2.0 Handler |
| Virtual Directory Support | disabled |
| Configuration File (php.ini) Path | /etc/php5/apache2 |
| Loaded Configuration File | /usr/local/Zend/etc/php.ini |
| Scan this dir for additional .ini files | /etc/php5/conf.d |
| additional .ini files parsed | /etc/php5/conf.d/ctype.ini, /etc/php5/conf.d/dom.ini, /etc/php5/conf.d/hash.ini, /etc/php5/conf.d/iconv.ini, /etc/php5/conf.d/json.ini, /etc/php5/conf.d/mbstring.ini, /etc/php5/conf.d/mysql.ini, /etc/php5/conf.d/odbc.ini, /etc/php5/conf.d/openssl.ini, /etc/php5/conf.d/pdo_mysql.ini, /etc/php5/conf.d/pdo_odbc.ini, /etc/php5/conf.d/pdo_sqlite.ini, /etc/php5/conf.d/soap.ini, /etc/php5/conf.d/tokenizer.ini, /etc/php5/conf.d/xml.ini, /etc/php5/conf.d/xmlrpc.ini, /etc/php5/conf.d/xsl.ini |
| PHP API | 20041225 |
| PHP Extension | 20060613 |
| Zend Extension | 220060519 |
| Debug Build | no |
| Thread Safety | disabled |
| Zend Memory Manager | enabled |
| IPv6 Support | enabled |
| Registered PHP Streams | php, file, data, http, ftp |
| Registered Stream Socket Transports | tcp, udp, unix, udg |
| Registered Stream Filters | string.rot13, string.toupper, string.tolower, string.strip_tags, convert.*, consumed, convert.iconv.* |

This server is protected with the Suhosin Patch 0.9.6.2
Copyright (c) 2006 [Hardened-PHP Project](#)

수호신

This program makes use of the Zend Scripting Language Engine:
Zend Engine v2.2.0, Copyright (c) 1998-2007 Zend Technologies
with Zend Extension Manager v1.2.2, Copyright (c) 2003-2007, by Zend Technologies
with Zend Optimizer v3.3.0, Copyright (c) 1998-2007, by Zend Technologies

Powered By



PHP Credits

Configuration

PHP Core

| Directive | Local Value | Master Value |
|---------------------------------------|-----------------|-----------------|
| allow_call_time_pass_reference | Off | Off |
| allow_url_fopen | On | On |
| allow_url_include | Off | Off |
| always_populate_raw_post_data | Off | Off |
| arg_separator.input | & | & |
| arg_separator.output | & | & |
| asp_tags | Off | Off |
| auto_append_file | <i>no value</i> | <i>no value</i> |
| auto_globals_jit | On | On |
| auto_prepend_file | <i>no value</i> | <i>no value</i> |
| browscap | <i>no value</i> | <i>no value</i> |
| default_charset | <i>no value</i> | <i>no value</i> |
| default_mimetype | text/html | text/html |
| define_syslog_variables | Off | Off |
| disable_classes | <i>no value</i> | <i>no value</i> |
| disable_functions | <i>no value</i> | <i>no value</i> |
| display_errors | Off | Off |
| display_startup_errors | Off | Off |
| doc_root | <i>no value</i> | <i>no value</i> |
| docref_ext | <i>no value</i> | <i>no value</i> |
| docref_root | <i>no value</i> | <i>no value</i> |
| enable_dl | Off | Off |

| | | |
|---------------------------------|---------------------------------------|---------------------------------------|
| error_append_string | no value | no value |
| error_log | php_errors | php_errors |
| error_prepend_string | no value | no value |
| error_reporting | 8191 | 8191 |
| expose_php | On | On |
| extension_dir | /usr/lib/php5/extensions | /usr/lib/php5/extensions |
| file_uploads | On | On |
| highlight.bg | #FFFFFF | #FFFFFF |
| highlight.comment | #FF8000 | #FF8000 |
| highlight.default | #0000BB | #0000BB |
| highlight.html | #000000 | #000000 |
| highlight.keyword | #007700 | #007700 |
| highlight.string | #DD0000 | #DD0000 |
| html_errors | Off | Off |
| ignore_repeated_errors | Off | Off |
| ignore_repeated_source | Off | Off |
| ignore_user_abort | Off | Off |
| implicit_flush | Off | Off |
| include_path | ./usr/share/php5:/usr/share/php5/PEAR | ./usr/share/php5:/usr/share/php5/PEAR |
| log_errors | On | On |
| log_errors_max_len | 1024 | 1024 |
| magic_quotes_gpc | Off | Off |
| magic_quotes_runtime | Off | Off |
| magic_quotes_sybase | Off | Off |
| mail.force_extra_parameters | no value | no value |
| max_execution_time | 30 | 30 |
| max_input_nesting_level | 64 | 64 |
| max_input_time | 60 | 60 |
| memory_limit | 128M | 128M |
| open_basedir | no value | no value |
| output_buffering | 4096 | 4096 |
| output_handler | no value | no value |
| post_max_size | 8M | 8M |
| precision | 14 | 14 |
| realpath_cache_size | 16K | 16K |
| realpath_cache_ttl | 120 | 120 |
| register_argc_argv | Off | Off |
| register_globals | Off | Off |
| register_long_arrays | Off | Off |
| report_memleaks | On | On |
| report zend debug | On | On |
| safe_mode | Off | Off |
| safe_mode_exec_dir | no value | no value |
| safe_mode_gid | Off | Off |
| safe_mode_include_dir | no value | no value |
| sendmail_from | info@helvatron.co.uk | info@helvatron.co.uk |
| sendmail_path | /usr/sbin | /usr/sbin |
| serialize_precision | 100 | 100 |
| short_open_tag | Off | Off |
| SMTP | localhost | localhost |
| smtp_port | 25 | 25 |
| sql.safe_mode | Off | Off |
| suhosin.log.phpscript | 0 | 0 |
| suhosin.log.phpscript.is_safe | Off | Off |
| suhosin.log.phpscript.name | no value | no value |
| suhosin.log.sapi | no value | no value |
| suhosin.log.script | no value | no value |
| suhosin.log.script.name | no value | no value |
| suhosin.log.syslog | no value | no value |
| suhosin.log.syslog.facility | no value | no value |
| suhosin.log.syslog.priority | no value | no value |
| suhosin.log.use-x-forwarded-for | Off | Off |
| track_errors | Off | Off |
| unserialize_callback_func | no value | no value |
| upload_max_filesize | 2M | 2M |
| upload_tmp_dir | /tmp | /tmp |
| user_dir | no value | no value |
| variables_order | GPCS | GPCS |
| xmlrpc_error_number | 0 | 0 |
| xmlrpc_errors | Off | Off |
| y2k_compliance | On | On |
| zend.ze1_compatibility_mode | On | On |

apache2handler

| | |
|----------------------|---------------------------|
| Apache Version | Apache/2.2.4 (Linux/SUSE) |
| Apache API Version | 20051115 |
| Server Administrator | [no address given] |

| | |
|----------------|--|
| Hostname:Port | linux-01.helvatron:0 |
| User/Group | wwwrun(30)/8 |
| Max Requests | Per Child: 10000 - Keep Alive: on - Max Per Connection: 100 |
| Timeouts | Connection: 300 - Keep-Alive: 15 |
| Virtual Server | No |
| Server Root | /srv/www |
| Loaded Modules | core prefork http_core mod_so mod_actions mod_alias mod_auth_basic mod_authn_file mod_authn_host mod_authn_groupfile mod_authn_default mod_authn_user mod_authn_dbm mod_autoindex mod_cgi mod_dir mod_env mod_expires mod_include mod_log_config mod_mime mod_negotiation mod_setenvif mod_ssl mod_suexec mod_userdir mod_php5 |

| Directive | Local Value | Master Value |
|---------------|-------------|--------------|
| engine | 1 | 1 |
| last_modified | 0 | 0 |
| xbithack | 0 | 0 |

Apache Environment

| Variable | Value |
|----------------------|--|
| HTTP_ACCEPT | image/gif, image/x-bitmap, image/jpeg, image/pjpeg, application/x-ms-application, application/vnd.ms-xpsdocument, application/xaml+xml, application/x-ms-xbap, application/vnd.ms-excel, application/vnd.ms-powerpoint, application/msword, application/x-shockwave-flash, */* |
| HTTP_ACCEPT_LANGUAGE | en-gb |
| HTTP_UA_CPU | x86 |
| HTTP_ACCEPT_ENCODING | gzip, deflate |
| HTTP_USER_AGENT | Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0; SLCC1; .NET CLR 2.0.50727; Media Center PC 5.0; .NET CLR 3.0.04506; InfoPath.2) |
| HTTP_HOST | 192.168.65.104 |
| HTTP_CONNECTION | Keep-Alive |
| PATH | /bin:/sbin:/usr/bin:/usr/sbin |
| SERVER_SIGNATURE | <address>Apache/2.2.4 (Linux/SUSE) Server at 192.168.65.104 Port 80</address> |
| SERVER_SOFTWARE | Apache/2.2.4 (Linux/SUSE) |
| SERVER_NAME | 192.168.65.104 |
| SERVER_ADDR | 192.168.65.104 |
| SERVER_PORT | 80 |
| REMOTE_ADDR | 192.168.65.20 |
| DOCUMENT_ROOT | /srv/www/htdocs |
| SERVER_ADMIN | [no address given] |
| SCRIPT_FILENAME | /srv/www/htdocs/phpinfo/index.php |
| REMOTE_PORT | 51611 |
| GATEWAY_INTERFACE | CGI/1.1 |
| SERVER_PROTOCOL | HTTP/1.1 |
| REQUEST_METHOD | GET |
| QUERY_STRING | no value |
| REQUEST_URI | /phpinfo/ |
| SCRIPT_NAME | /phpinfo/index.php |

HTTP Headers Information

| HTTP Request Headers | |
|-----------------------|--|
| HTTP Request | GET /phpinfo/ HTTP/1.1 |
| Accept | image/gif, image/x-bitmap, image/jpeg, image/pjpeg, application/x-ms-application, application/vnd.ms-xpsdocument, application/xaml+xml, application/x-ms-xbap, application/vnd.ms-excel, application/vnd.ms-powerpoint, application/msword, application/x-shockwave-flash, */* |
| Accept-Language | en-gb |
| UA-CPU | x86 |
| Accept-Encoding | gzip, deflate |
| User-Agent | Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0; SLCC1; .NET CLR 2.0.50727; Media Center PC 5.0; .NET CLR 3.0.04506; InfoPath.2) |
| Host | 192.168.65.104 |
| Connection | Keep-Alive |
| HTTP Response Headers | |
| X-Powered-By | PHP/5.2.5 |
| Keep-Alive | timeout=15, max=88 |
| Connection | Keep-Alive |
| Transfer-Encoding | chunked |
| Content-Type | text/html |

ctype

| | |
|-----------------|---------|
| ctype functions | enabled |
|-----------------|---------|

date

| | |
|-----------------------------------|----------|
| date/time support | enabled |
| "Olson" Timezone Database Version | 2007.9 |
| Timezone Database | internal |

| | |
|------------------|-----|
| Default timezone | UTC |
|------------------|-----|

| Directive | Local Value | Master Value |
|------------------------|-----------------|-----------------|
| date.default_latitude | 31.7667 | 31.7667 |
| date.default_longitude | 35.2333 | 35.2333 |
| date.sunrise_zenith | 90.583333 | 90.583333 |
| date.sunset_zenith | 90.583333 | 90.583333 |
| date.timezone | <i>no value</i> | <i>no value</i> |

dom

| | |
|---------------------|----------|
| DOM/XML | enabled |
| DOM/XML API Version | 20031129 |
| libxml Version | 2.6.30 |
| HTML Support | enabled |
| XPath Support | enabled |
| XPointer Support | enabled |
| Schema Support | enabled |
| RelaxNG Support | enabled |

filter

| | |
|--------------------------------|--------------------------|
| Input Validation and Filtering | enabled |
| Revision | \$Revision: 1.52.2.39 \$ |

| Directive | Local Value | Master Value |
|----------------------|-----------------|-----------------|
| filter.default | unsafe_raw | unsafe_raw |
| filter.default_flags | <i>no value</i> | <i>no value</i> |

hash

| | |
|-----------------|--|
| hash support | enabled |
| Hashing Engines | md2 md4 md5 sha1 sha256 sha384 sha512 ripemd128 ripemd160 ripemd256 ripemd320 whirlpool tiger128,3 tiger160,3 tiger192,3 tiger128,4 tiger160,4 tiger192,4 snfru gost adler32 crc32 crc32b haval128,3 haval160,3 haval192,3 haval224,3 haval256,3 haval128,4 haval160,4 haval192,4 haval224,4 haval256,4 haval128,5 haval160,5 haval192,5 haval224,5 haval256,5 |

iconv

| | |
|-----------------------|---------|
| iconv support | enabled |
| iconv implementation | glibc |
| iconv library version | 2.6.1 |

| Directive | Local Value | Master Value |
|-------------------------|-------------|--------------|
| iconv.input_encoding | ISO-8859-1 | ISO-8859-1 |
| iconv.internal_encoding | ISO-8859-1 | ISO-8859-1 |
| iconv.output_encoding | ISO-8859-1 | ISO-8859-1 |

json

| | |
|--------------|---------|
| json support | enabled |
| json version | 1.2.1 |

libxml

| | |
|----------------|---------|
| libXML support | active |
| libXML Version | 2.6.30 |
| libXML streams | enabled |

mbstring

| | |
|---|---------|
| Multibyte Support | enabled |
| Multibyte string engine | libmbfl |
| Multibyte (japanese) regex support | enabled |
| Multibyte regex (oniguruma) version | 4.4.4 |
| Multibyte regex (oniguruma) backtrack check | On |

mbstring extension makes use of "streamable kanji code filter and converter", which is distributed under the GNU Lesser General Public License version 2.1.

| Directive | Local Value | Master Value |
|-------------------------------|-----------------|-----------------|
| mbstring.detect_order | <i>no value</i> | <i>no value</i> |
| mbstring.encoding_translation | Off | Off |
| mbstring.func_overload | 0 | 0 |
| mbstring.http_input | pass | pass |
| mbstring.http_output | pass | pass |
| mbstring.internal_encoding | <i>no value</i> | <i>no value</i> |
| mbstring.language | neutral | neutral |
| mbstring.strict_detection | Off | Off |
| mbstring.substitute_character | <i>no value</i> | <i>no value</i> |

mysql

| MySQL Support | enabled |
|-------------------------|---------------------------|
| Active Persistent Links | 0 |
| Active Links | 0 |
| Client API version | 5.0.45 |
| MYSQL_MODULE_TYPE | external |
| MYSQL_SOCKET | /var/lib/mysql/mysql.sock |
| MYSQL_INCLUDE | -I/usr/include/mysql |
| MYSQL_LIBS | -L/usr/lib -mysqlclient |

| Directive | Local Value | Master Value |
|------------------------|-------------|--------------|
| mysql.allow_persistent | Off | Off |
| mysql.connect_timeout | 60 | 60 |
| mysql.default_host | no value | no value |
| mysql.default_password | no value | no value |
| mysql.default_port | no value | no value |
| mysql.default_socket | no value | no value |
| mysql.default_user | no value | no value |
| mysql.max_links | Unlimited | Unlimited |
| mysql.max_persistent | Unlimited | Unlimited |
| mysql.trace_mode | Off | Off |

mysqli

| Mysqli Support | enabled |
|----------------------------|---------------------------|
| Client API library version | 5.0.45 |
| Client API header version | 5.0.45 |
| MYSQLI_SOCKET | /var/lib/mysql/mysql.sock |

| Directive | Local Value | Master Value |
|-----------------------|-------------|--------------|
| mysqli.default_host | no value | no value |
| mysqli.default_port | 3306 | 3306 |
| mysqli.default_pw | no value | no value |
| mysqli.default_socket | no value | no value |
| mysqli.default_user | no value | no value |
| mysqli.max_links | Unlimited | Unlimited |
| mysqli.reconnect | Off | Off |

pcre

| PCRE (Perl Compatible Regular Expressions) Support | enabled |
|--|----------------|
| PCRE Library Version | 7.2 2007-06-19 |

| Directive | Local Value | Master Value |
|----------------------|-------------|--------------|
| pcre.backtrack_limit | 100000 | 100000 |
| pcre.recursion_limit | 100000 | 100000 |

PDO

| PDO support | enabled |
|-------------|------------------------|
| PDO drivers | mysql, sqlite, sqlite2 |

pdo_mysql

| PDO Driver for MySQL, client library version | 5.0.45 |
|--|--------|
|--|--------|

pdo_sqlite

| PDO Driver for SQLite 3.x | enabled |
|---------------------------|--|
| PECL Module version | 1.0.1 \$Id: pdo_sqlite.c,v 1.10.2.6.2.2 2007/03/23 14:30:00 wez Exp \$ |
| SQLite Library | 3.4.1 |

Reflection

| Reflection | enabled |
|------------|---|
| Version | \$Id: php_reflection.c,v 1.164.2.33.2.47 2007/10/28 13:47:14 iliaa Exp \$ |

session

| Session Support | enabled |
|--------------------------------|----------------------|
| Registered save handlers | files user mm sqlite |
| Registered serializer handlers | php php_binary |

| Directive | Local Value | Master Value |
|-------------------------|-------------|--------------|
| session.auto_start | Off | Off |
| session.bug_compat_42 | Off | Off |
| session.bug_compat_warn | On | On |
| session.cache_expire | 180 | 180 |
| session.cache_limiter | nocache | nocache |

| | | |
|---------------------------------|---------------|---------------|
| session.cookie_domain | no value | no value |
| session.cookie_httponly | On | On |
| session.cookie_lifetime | 0 | 0 |
| session.cookie_path | / | / |
| session.cookie_secure | Off | Off |
| session.entropy_file | no value | no value |
| session.entropy_length | 0 | 0 |
| session.gc_divisor | 1000 | 1000 |
| session.gc_maxlifetime | 1440 | 1440 |
| session.gc_probability | 1 | 1 |
| session.hash_bits_per_character | 5 | 5 |
| session.hash_function | 1 | 1 |
| session.name | PHPSESSID | PHPSESSID |
| session.referer_check | no value | no value |
| session.save_handler | files | files |
| session.save_path | /var/lib/php5 | /var/lib/php5 |
| session.serialize_handler | php | php |
| session.use_cookies | On | On |
| session.use_only_cookies | On | On |
| session.use_trans_sid | 0 | 0 |

SimpleXML

| | |
|--------------------------|--------------------------------|
| Simplexml support | enabled |
| Revision | \$Revision: 1.151.2.22.2.35 \$ |
| Schema support | enabled |

SPL

| | |
|--------------------|--|
| SPL support | enabled |
| Interfaces | Countable, OuterIterator, RecursiveIterator, SeekableIterator, SplObserver, SplSubject |
| Classes | AppendIterator, ArrayIterator, ArrayObject, BadFunctionCallException, BadMethodCallException, CachingIterator, DirectoryIterator, DomainException, EmptyIterator, FilterIterator, Infiltrator, InvalidArgumentException, IteratorIterator, LengthException, LimitIterator, LogicException, NoRewindIterator, OutOfBoundsException, OutOfRangeException, OverflowException, ParentIterator, RangeException, RecursiveArrayIterator, RecursiveCachingIterator, RecursiveDirectoryIterator, RecursiveFilterIterator, RecursiveIteratorIterator, RecursiveRegexIterator, RegexIterator, RuntimeException, SimpleXMLIterator, SplFileInfo, SplFileObject, SplObjectStorage, SplTempFileObject, UnderflowException, UnexpectedValueException |

SQLite

| | |
|-----------------------|--|
| SQLite support | enabled |
| PECL Module version | 2.0-dev \$Id: sqlite.c,v 1.166.2.13.2.9 2007/05/19 17:58:22 iliaa Exp \$ |
| SQLite Library | 2.8.17 |
| SQLite Encoding | UTF-8 |

| Directive | Local Value | Master Value |
|-------------------|-------------|--------------|
| sqlite.assoc_case | 0 | 0 |

standard

| | |
|-------------------------|-------------------------|
| Regex Library | Bundled library enabled |
| Dynamic Library Support | enabled |
| Path to sendmail | /usr/sbin |

| Directive | |
|------------------------------|--|
| assert.active | 1 |
| assert.bail | 0 |
| assert.callback | no value |
| assert.quiet_eval | 0 |
| assert.warning | 1 |
| auto_detect_line_endings | 0 |
| default_socket_timeout | 60 |
| safe_mode_allowed_env_vars | PHP_ |
| safe_mode_protected_env_vars | GCONV_PATH,GETCONF_DIR,HOSTALIAS,LD_AUDIT,LD_DEBUG,LD_DEBUG_OUTPUT,LD_DYNAMIC_WEAK,LD_LIBRARY_PATH,LD_ORIGIN_PATH,LD_P |
| url_rewriter.tags | a=href,area=href,frame=src,input=src,form=fakeentry |
| user_agent | no value |

tokenizer

| | |
|-------------------|---------|
| Tokenizer Support | enabled |
|-------------------|---------|

xml

| | |
|-----------------------|--------|
| XML Support | active |
| XML Namespace Support | active |
| libxml2 Version | 2.6.30 |

xmlreader

| | |
|-----------|---------|
| XMLReader | enabled |
|-----------|---------|

xmlwriter

| | |
|-----------|---------|
| XMLWriter | enabled |
|-----------|---------|

Zend Optimizer

| | |
|---------------------|----------|
| Optimization Pass 1 | enabled |
| Optimization Pass 2 | enabled |
| Optimization Pass 3 | enabled |
| Optimization Pass 4 | enabled |
| Optimization Pass 9 | enabled |
| Zend Loader | enabled |
| License Path | no value |
| Obfuscation level | 3 |

Additional Modules

| Module Name |
|-------------|
|-------------|

Environment

| Variable | Value |
|----------------------|--|
| CONSOLE | /dev/console |
| ROOTFS_FSTYPE | ext3 |
| SHELL | /bin/sh |
| TERM | linux |
| ROOTFS_FSCK | 0 |
| get_module_list_done | true |
| LC_ALL | POSIX |
| INIT_VERSION | sysvinit-2.86 |
| REDIRECT | /dev/tty1 |
| COLUMNS | 124 |
| get_includes_done | true |
| PATH | /bin:/sbin:/usr/bin:/usr/sbin |
| vga | 0x317 |
| RUNLEVEL | 5 |
| PWD | / |
| SPLASHCFG | /etc/bootsplash/themes/SuSE/config/bootsplash-1024x768.cfg |
| PREVLEVEL | N |
| LINES | 44 |
| HOME | /var/lib/apache2 |
| SHLVL | 2 |
| splash | verbose |
| SPLASH | yes |
| ROOTFS_BLKDEV | /dev/disk/by-id/scsi-SATA_WDC_WD1200JB-75WD-WMAET1230168-part2 |
| _ | /sbin/startproc |
| DAEMON | /usr/sbin/httpd2-prefork |

PHP Variables

| Variable | Value |
|---------------------------------|---|
| _SERVER["HTTP_ACCEPT"] | image/gif, image/x-bitmap, image/jpeg, image/pjpeg, application/x-ms-application, application/vnd.ms-xpsdocument, application/xml+xml, application/x-ms-xbap, application/vnd.ms-excel, application/vnd.ms-powerpoint, application/msword, application/x-shockwave-flash, */* |
| _SERVER["HTTP_ACCEPT_LANGUAGE"] | en-gb |
| _SERVER["HTTP_UA_CPU"] | x86 |
| _SERVER["HTTP_ACCEPT_ENCODING"] | gzip, deflate |
| _SERVER["HTTP_USER_AGENT"] | Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0; SLCC1; .NET CLR 2.0.50727; Media Center PC 5.0; .NET CLR 3.0.04506; InfoPath.2) |
| _SERVER["HTTP_HOST"] | 192.168.65.104 |
| _SERVER["HTTP_CONNECTION"] | Keep-Alive |
| _SERVER["PATH"] | /bin:/sbin:/usr/bin:/usr/sbin |
| _SERVER["SERVER_SIGNATURE"] | <address>Apache/2.2.4 (Linux/SUSE) Server at 192.168.65.104 Port 80</address> |
| _SERVER["SERVER_SOFTWARE"] | Apache/2.2.4 (Linux/SUSE) |
| _SERVER["SERVER_NAME"] | 192.168.65.104 |
| _SERVER["SERVER_ADDR"] | 192.168.65.104 |
| _SERVER["SERVER_PORT"] | 80 |
| _SERVER["REMOTE_ADDR"] | 192.168.65.20 |
| _SERVER["DOCUMENT_ROOT"] | /srv/www/htdocs |
| _SERVER["SERVER_ADMIN"] | [no address given] |
| _SERVER["SCRIPT_FILENAME"] | /srv/www/htdocs/phpinfo/index.php |
| _SERVER["REMOTE_PORT"] | 51611 |
| _SERVER["GATEWAY_INTERFACE"] | CGI/1.1 |
| _SERVER | HTTP/1.1 |

| | |
|---------------------------|--------------------|
| ["SERVER_PROTOCOL"] | |
| _SERVER["REQUEST_METHOD"] | GET |
| _SERVER["QUERY_STRING"] | <i>no value</i> |
| _SERVER["REQUEST_URI"] | /phpinfo/ |
| _SERVER["SCRIPT_NAME"] | /phpinfo/index.php |
| _SERVER["PHP_SELF"] | /phpinfo/index.php |
| _SERVER["REQUEST_TIME"] | 1199814195 |

PHP License

This program is free software; you can redistribute it and/or modify it under the terms of the PHP License as published by the PHP Group and included in the distribution in the file: LICENSE

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

If you did not receive a copy of the PHP license, or have any questions about PHP licensing, please contact license@php.net.